

 **Patons**

C 4500  
18-22 in

DOUBLE  
KNITTING





## Sweaters and Cardigans

### Measurements

#### To fit chest

46	51	56	cm
18	20	22	in

#### Actual size

46	52	57	cm
18	20½	22½	in

#### Finished length, approx

26	27	28	cm
10	10½	11	in

#### Sleeve, measured down centre

15	18	23	cm
6	7	9	in

### Quantities

#### Patterned Sweater

Patons Fairytale DK (Tumble dry) (6311)  
2 3 3 50 gram balls

#### Plain Sweater

Patons Fairytale Spot Prints DK (Tumble dry) (6262)  
2 3 3 50 gram balls

#### Patterned Cardigan

Patons Fairytale DK (Tumble dry) (6313)  
2 3 3 50 gram balls

#### Plain Cardigan

Patons Tumbletots DK (Tumble dry) (6123)  
3 4 4 50 gram balls

Quantities of yarn are approximate as they are based on average requirements.  
Check actual yarn colour - as printing may not match yarn exactly.

Pair each Patons 3 ¼ mm (USA3) and 4 mm (USA 6) needles. 6 buttons for Cardigans.

### Tension

On 4 mm needles, 22 sts and 30 rows to 10 cm (stocking st).

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.

### Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

### Abbreviations

K=knit; P=purl; st=stitch; **stocking st**=1 row K, 1 row P; **garter st**=every row K; **tog**=together; **tbl**=through back of loops; **inc**=increase by working into front and back of st;

**dec**=decrease by working 2 sts together; **beg**=beginning; **alt**=alternate; **rep**=repeat; **cont**=continue; **meas**=measures; **fol**=following; **rem**=remain(ing); **RS**=right side; **WS**=wrong side; **cm**=centimetres; **in**=inches; **mm**=millimetres; **sL1K**=slip 1 knitways; **yfwd**=yarn forward; **psso**=pass slip st over; **patt**=pattern; **0**=no st, row or time to be worked in this size; **M1**=make a st by picking up horizontal loop lying before next st and working into back of it.

### U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

Instructions are given for the first size, with larger size(s) given in square brackets [ ]. Where only one figure is given this applies to both (all) sizes.

Before starting to knit, read the instructions carefully and circle all figures relating to your size with a coloured pencil.

## PATTERNED SWEATER

### BACK

With 3 ¼ mm needles, cast on 49 [55, 61] sts.

**Rib row 1** - (RS), K1, \*P1, K1; rep from \* to end.

**Rib row 2** - P1, \*K1, P1; rep from \* to end.

Rep these 2 rows for 3 cm, ending with row 1.

**Increase row** - In rib, inc 2 sts evenly (51 [57, 63] sts).

**Change to 4 mm needles and patt** thus:

**Row 1** - (RS), K4 [1, 4], \*yfwd, sL1K, K1, psso, K4; rep from \* to last 5 [2, 5] sts, yfwd, sL1K, K1, psso, K3 [0, 3].

**Row 2 and every alt row** - P.

**Row 3** - K2, (yfwd, sL1K, K1, psso, K1) 0 [1, 0] time, \*K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K1; rep from \* to last 1 [4, 1] sts, (K2tog, yfwd) 0 [1, 0] time, K1 [2, 1].

**Row 5** - As row 1.

**Row 7** - K.

**Row 9** - K1 [4, 1], \*yfwd, sL1K, K1, psso, K4; rep from \* to last 2 [5, 2] sts, yfwd, sL1K, K1, psso, K0 [3, 0].

**Row 11** - K2, (yfwd, sL1K, K1, psso, K1) 1 [0, 1] time, \*K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K1; rep from \* to last 4 [1, 4] sts, (K2tog, yfwd) 1 [0, 1] time, K2 [1, 2].

**Row 13** - As row 9.

**Row 15** - K.

**Row 16** - P.

These 16 rows form patt.

Cont in patt until Back meas approx 16 cm, ending with row 6 of patt.

### Shape raglans

Keeping patt correct, cast off 2 sts at beg of next 2 rows.

Dec 1 st at each end of next and every alt row until 21 [23, 29] sts rem. Work 1 row.

Dec 1 st at each end of every row until 17 [19, 21] sts rem. Leave rem sts on a spare needle.



---

## FRONT

---

Work as for Back until 2 rows less have been worked before start of raglan shaping, thus ending with RS facing for next row.

### Shape neck and raglans

**Next row** - Patt 25 [28, 31], turn and work this side first. Work 1 row.

**Next row** - Cast off 2 sts, patt to last 2 sts, K2tog.

Work 1 row.

Dec 1 st at raglan edge on next and every alt row, **at the same time** dec 1 st at neck edge on next and every foll 4th row until 8 sts rem.

Work 1 row.

Dec 1 st at raglan edge **only** on next and every alt row until 4 [4, 6] sts rem. Work 1 row.

Dec 1 st at raglan edge on every row until 2 sts rem.

**Next row** - K2tog and fasten off.

With RS facing, slip centre st on a safety-pin, rejoin yarn to rem sts, patt to end. Work to match first side, reversing shapings.

---

## SLEEVES

---

With 3 ¼ mm needles, cast on 29 [31, 33] sts and work in rib as on Back for 2 cm, ending with row 1.

**Increase row** - Rib 4 [8, 2], (M1 by picking up horizontal loop lying before next st and working into back of lt, rib 7 [15, 6]) 3 [1, 5] times, M1, rib to end (33 [33, 39] sts).

**Change to 4 mm needles** and patt as for 51 [51, 46] cm size of Back, shaping sides by inc 1 st at each end of 7th [5th, 11th] and every foll 6th [7th, 14th] row until there are 43 [45, 47] sts, taking inc sts into patt.

Work straight until Sleeve meas approx 15 [18, 23] cm, ending with row 6 [14, 14] of patt.

### Shape raglans

Keeping patt correct, cast off 2 sts at beg of next 2 rows.

Dec 1 st at each end of next and every alt row until 17 [13, 13] sts rem. Work 1 row.

Dec 1 st at each end of every row until 5 sts rem. Leave rem sts on a safety-pin.

---

## MAKE UP

---

Do not press.

Join raglans, leaving left back raglan open.

### Neck Border

With RS facing and 3 ¼ mm needles, K5 from left sleeve, **knit up** 28 [30, 32] sts down left side of neck, K1 from safety-pin (mark this st with a coloured thread), **knit up** 28 [30, 32] sts up right side of neck, K5 from right sleeve, then K17 [19, 21] from back inc 3 sts evenly (87 [93, 99] sts).

**Row 1** - (WS), K1, \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, P1, P2togtbl, K1, \*\*P1, K1; rep from \*\* to end.

**Row 2** - \*P1, K1; rep from \* to within 2 sts of marked st, P2tog, K1, P2togtbl, \*\*K1, P1; rep from \*\* to end.

**Row 3** - As row 1.

Cast off evenly in rib dec as before.

Join left back raglan and Neck Border. Join side and sleeve seams.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

## PLAIN SWEATER

Work as for Patterned Sweater, working in stocking st throughout.

---

## PATTERNED CARDIGAN

---

### BACK

Work as for Back of Patterned Sweater.

---

### LEFT FRONT

---

\*\*With 3 ¼ mm needles, cast on 21 [25, 27] sts and work in rib as on Back of Patterned Sweater for 3 cm, ending with row 1.

**Increase row** - In rib inc 2 [1, 2] sts evenly (23 [26, 29] sts).\*\*

**Change to 4 mm needles and patt** thus:

**Row 1** - (RS), K4 [1, 4], \*yfwd, sL1K, K1, psso, K4; rep from \* to last st, K1.

**Row 2 and every alt row** - P.

**Row 3** - K2, (yfwd, sL1K, K1, psso, K1) 0 [1, 0] time, \*K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K1; rep from \* to last 3 sts, K3.

**Row 5** - As row 1.

**Row 7** - K.

**Row 9** - K1 [4, 1], \*yfwd, sL1K, K1, psso, K4; rep from \* to last 4 sts, yfwd, sL1K, K1, psso, K2.

**Row 11** - K2, (yfwd, sL1K, K1, psso, K1) 1 [0, 1] time, \*K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K1; rep from \* to end.

**Row 13** - As row 9.

**Row 15** - K.

**Row 16** - P.

These 16 rows form patt.

Cont in patt until Front matches Back to start of raglan shaping, ending with same patt row.

### Shape raglan

Keeping patt correct, cast off 2 sts at beg of next row. Work 1 row.

Dec 1 st at raglan edge on next and every alt row until 12 [14, 16] sts rem. Work 1 row.

### Shape neck

**Next row** - K2tog, patt to last 2 [3, 4] sts, turn and leave rem sts on a safety-pin.

Work 1 row.

Dec 1 st at each end of next and foll alt row (5 [6, 7] sts).

Work 1 row.

Dec 1 st at raglan edge **only** on next and foll 1 [2, 1] alt rows (3 [3, 5] sts).

Dec 1 st at raglan edge on next 1 [1, 3] rows (2 sts).

**Next row** - K2tog and fasten off.

---

## RIGHT FRONT

---

Work as for Left Front from \*\* to \*\*.

**Change to 4 mm needles and patt** thus:

**Row 1** - (RS), K6, \*yfwd, sL1K, K1, psso, K4; rep from \* to last 5 [2, 5] sts,



yfwd, sL1K, K1, pssso, K3 [0, 3].

**Row 2 and every alt row - P.**

**Row 3 -** K4, \*K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K1; rep from \* to last 1 [4, 1] sts, (K2tog, yfwd) 0 [1, 0] time, K1 [2, 1].

**Row 5 -** As row 1.

**Row 7 -** K.

**Row 9 -** K3, \*yfwd, sL1K, K1, pssso, K4; rep from \* to last 2 [5, 2] sts, yfwd, sL1K, K1, pssso, K0 [3, 0].

**Row 11 -** K1, \*K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K1; rep from \* to last 4 [1, 4] sts, (K2tog, yfwd) 1 [0, 1] time, K2 [1, 2].

**Row 13 -** As row 9.

**Row 15 -** K.

**Row 16 -** P.

These 16 rows form patt.

Work to match Left Front, reversing shapings.

## SLEEVES

Work as for Sleeves of Patterned Sweater.

## MAKE UP

Do not press.

Join raglan, side and sleeve seams.

## Neck Border

With RS facing and 3 1/4 mm needles, K2 [3, 4] from right front, **knit up 7 [9, 9] sts** up right side of neck, K5 from right sleeve, K17 [19, 21] from back, K5 from left sleeve, **knit up 7 [9, 9] sts** down left side of neck, then K2 [3, 4] from left front (45 [53, 57] sts).

Starting and ending with row 2, work in rib as on Back of Patterned Sweater for 4 cm. Using a 4 mm needle, cast off loosely in rib.

Fold Neck Border in half to WS and sew in place.

## Button Border

With 3 1/4 mm needles, cast on 7 sts.

**Row 1 -** (RS), K2, (P1, K1) twice, K1.

**Row 2 -** (K1, P1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up Left Front for Girl, Right Front for Boy to top of Neck Border, sewing in place as you go along. Cast off evenly in rib.

## Buttonhole Border

Work as for Button Border with the addition of 6 buttonholes, first to come 1 cm up from lower edge, last to come at centre of Neck Border and the remainder spaced evenly between. First mark position of buttons on Button Border with pins to ensure even spacing, then work buttonholes to correspond.

## To make a buttonhole

**Next row -** (RS), rib 3, cast off 2, rib to end.

**Next row -** In rib, casting on 2 over those cast off.

Sew on buttons.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

## PLAIN CARDIGAN

Work as for Patterned Cardigan, working in stocking st throughout.



To help you keep your handknits looking their best, we recommend Dreft Automatic.

We shall be pleased to deal with your queries if you write enc. a ball band of the yarn specified and a s.a.e. to Knitting Queries Dept. Patons & Baldwins Ltd., Alloa, Scotland FK10 1EG or phone 0259 723431.

**Published by PATONS & BALDWIN LTD**

**WARNING - COPYRIGHT** All Patons patterns are protected by the law of copyright and may not be reproduced either by photocopying or any other means. They are sold on condition that they are used only for non-commercial purposes. All other rights are expressly reserved by Patons & Baldwins Ltd.



5 013712 306891